


# ILLUSTRATED PARTS

AMERICAN  AMERICAN  
M A D E O W N E D  
OUTDOOR POWER EQUIPMENT











## 1995


## PUSH MOWERS

Model Number	Pages
115-504A000 thru 115-508R000 .....	2, 3
115-515A000 thru 115-518G000 .....	4, 5
115-733A000 thru 115-738R000 .....	6, 7
Engine Shrouds .....	8

## OPTIONAL ENGINE SHROUDS

							
<b>Part No.</b> 751B281439 751B281440 751B281443	<b>Color</b> Dark Red Black Bright Red	<b>Part No.</b> 731-1395 731-1396 731-1397	<b>Color</b> Red Black Gray	<b>Part No.</b> 731-1587 731-1603 731-1610	<b>Color</b> Black Yellow Pewter	<b>Part No.</b> 731-1561 731-1612	<b>Color</b> Black Red
<b>Hardware:</b> 710-1256 (Screw)		<b>Hardware:</b> 710-1256 (Screw)		<b>Hardware:</b> 710-1184 (Screw)		<b>Hardware:</b> 7510042823 (Screw)	
							
<b>Part No.</b> 731-1402	<b>Color</b> Yellow	<b>Part No.</b> 7510014308	<b>Color</b> Black	<b>Part No.</b> 731-1585	<b>Color</b> Black	<b>Part No.</b> 731-1586	<b>Color</b> Black
<b>Hardware:</b> 710-1256 (Screw)		<b>Hardware:</b> 7510042823 (Screw)		<b>Hardware:</b> 710-1274 (Screw)		<b>Hardware:</b> 7510042823 (Screw)	

# Models 504 thru 508



# Models 733 thru 738

## PARTS LIST FOR MODELS 733 THRU 738 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	647-0004		Control Handle Ass'y. (Deluxe)	44	735-0639		Spark Plug Boot
	747-0824		Control Handle Ass'y. (Std.)	45	811-00185		Throttle Box Comp. (Incl. Ref. 2, 3, 4, 5, 6)
2	710-0605		Oval C-Sunk Scr.	46	738-0102		Axle Bolt
3	736-0501		Spr. Wash. .66" I.D.	47	736-0105		Bell-Wash. .400" I.D. x .88"
4	746-0876		Throttle Lever	48	738-0507B		Shld. Bolt .50" Dia. x .357"
5	712-0324		Hex L-Nut 1/4-20 Thd.	49	14832		Spring Lever Ass'y. w/Knob
6	646-0875		Throttle Body	50	15262B		Pivot Bar
7	720-0226		Grip (Optional)	51	15261A		Height Adj. Plate
8	749-0538C		Upper Handle	52	**		Wheel Ass'y. Comp.
10	710-1205		Rope Guide	53	14578		Height Adj. Ass'y. Comp.—R.F.
12	720-0276		Hand Knob		14579		Height Adj. Ass'y. Comp.—L.F.
13	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	54	746-0842		Throttle Cable—51" (734 and 738)
14	726-0240		Cable Tie		746-0844		Throttle Cable—39" (733 and 735)
15	749-0928		Lower Handle	55	746-0550		Control Cable—39" (734)
16	714-0104		Hairpin Cotter		746-0552		Control Cable—49" (733 and 735)
17	17098		Hinge Clip		746-0553		Control Cable—36" (738)
18	731-0872A		Rear Flap	57	710-0654A		Hex L-Wash. Hd. Scr. 3/8-16 x 1.0" Lg.
21	736-0356		Bell-Wash. .39" I.D. x 1.38"	58	736-0504		Wave Washer .51" I.D. (Used w/Ball Bearings)
22	712-0798		Hex Nut 3/8-16 Thd.*	62	720-0279		Handle Knob 1/4-20 Thd.
23	††		Hub Cap	63	731-1409		Chute Deflector
24	**		Bearing (Optional)	64	682-7002		Mulching Plug
29	682-0025		20" Deck Ass'y.	65	710-0599		Hex Wash. Hd. TT-Tap Scr. 1/4-20 x .5" Lg.
30	753-0484		Blade Adapter Kit	66	736-0270		Bell-Wash. 1/4" I.D.
31	736-0452		Bell-Wash. .39" I.D.	67	682-3024		Height Adj. Ass'y. Comp.—R.R.
32	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.	68	682-3025		Height Adj. Ass'y. Comp.—L.R.
33	742-0720		20" Mulching Blade				
34	710-1055		Hex Bolt 3/8-24 x 1" Lg.				
35	736-0169		L-Wash. 3/8" I.D.*				
36	712-0241		Hex Nut 3/8-24 Thd.				
39	—		Engine				
41	751B213146		Cable Clamp (734 and 738)				
	7510007755		Cable Clamp (733 and 735)				
42	710-1237		Hex Self-Tap Scr. #10-32 x .62" (734 and 738)				
	710-0871		Sems Scr. #10-32 x .38" Lg. (733 and 735)				

\*For faster service obtain standard nuts, bolts and washers locally.  
If these items cannot be obtained locally, order by part number and size as shown on parts list.




**FRONT WHEEL CHART	Bar Tread	"S" Wave Tread
<b>Wheels w/o Bearings</b>	734-1781 (Gray—No Hub Cap) 634-0020 (Gray—Uses Hub Cap)	
<b>Wheels with Ball Brgs.† (Brg. Part No. 741-0484)</b>		734-1513B (Gray)

†Require Wave Washer 736-0504

# Models 504 thru 508

## PARTS LIST FOR MODELS 504 THRU 508 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	747-0824		Control Handle (Std.)	49	782-0520		Small Pivot Bar—R.H.
	647-0004		Control Handle (Deluxe)	50	712-3020		Hex Jam Nut 3/8-16 Thd.
2	734-1661		16" Wheel Ass'y.	52	749-0538C		Upper Handle
3	**		Front Wheel Ass'y.	53	714-0104		Intern. Cot. Pin 5/16" Dia.
4	741-0484		Bearing 1/2" I.D.	54	726-0240		Cable Tie
5	738-0102		Front Axle Bolt	55	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.
6	712-0328		Hex Nut 3/8-24 Thd. (Gr. 8)	56	710-1205		Rope Guide
7	742-0622		22" Blade	57	720-0276		Hand Knob
	742-0722		22" Mulching Blade (Optional)	65	**		Bearing
8	746-0842		Throttle Control Wire—51"	70	735-0639		Spark Plug Boot (Optional)
9	749-0928		Lower Handle	72	738-0507B		Shoulder Bolt .50" Dia.
10	—		Engine	79	14832		Spring Lever Ass'y. w/Knob
11	710-0605		Oval C-Sunk Mach. Scr.	80	15262B		Pivot Bar
12	746-0876		Throttle Lever	81	15261A		Height Adj. Plate
13	736-0501		Spr. Wash. .66" I.D.	82	736-0356		Bell-Wash. .39" I.D. x 1.38"
14	712-0324		Hex L-Nut 1/4-20 Thd.	84	14578		Front Height Adj. Ass'y.
15	736-0169		L-Wash. 3/8" I.D.*				Comp.—R.H.
16	712-0241		Hex Nut 3/8-24 Thd.		14579		Front Height Adj. Ass'y.
17	712-0431		Flange L-Nut 3/8-18 Thd.				Comp.—L.H. (Not Shown)
18	710-1055		Hex Bolt 3/8-24 x 1.0" Lg.	86	736-0270		Bell-Wash. .285" I.D. x .75"
19	682-0517		Handle Brkt. Ass'y.—L.H.	87	710-0599		Hex Wash. Hd. Tap Scr.
20	682-0518		Handle Brkt. Ass'y.—R.H.				1/4-20 x .5" Lg.
21	646-0875		Throttle Body	88	747-0710		Hinge Pin
22	811-00185		Throttle Box Comp. (Incl. Ref. 11, 12, 13, 14, 21)	89	17032		Adapter Plate
25	710-0793		Ribbed Neck Bolt 3/8-24 x .80"	90	732-0593		Torsion Spring
28	712-0798		Hex Nut 3/8-16 Thd.*	93	731-1034		Chute Deflector Ass'y. Comp.
29	736-0105		Bell-Wash. .400" I.D. x .88"	94	738-0878		Rear Axle
33	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.	95	736-0331		Bell-Wash. .39" I.D. x 1.13"
35	753-0484		Blade Adapter Kit	96	750-0151		Spacer .55" I.D. x .75"
36	736-0452		Bell-Wash. .39" I.D.	97	736-0504		Wave Washer .51" I.D.
38	17098		Hinge Clip				(Used w/Ball Brg. Wheels)
40	731-1026		Rear Flap Ass'y.	99	736-3050		FI-Wash. .406" I.D. x .81"
43	746-0550		Control Cable—39" (504, 508)	100	736-0182		Spr. Wash. .5" I.D. x 1.0"
	746-0737		Control Cable—51" (507)	102	720-0226		Foam Grip (Optional)
44	682-0221		22" Deck Ass'y.	103	751B213146		Casing Clamp (504, 508)
45	710-0654A		Hex Wash. Hd. TT-Tap Scr. 3/8-16 x 1.00" Lg.		7510007755		Casing Clamp (507)
46	720-0297	N	Handle Knob 1/4-20 Thd.	104	710-1237		Hex Wash. Hd. Tap Scr. #10-32 x .62" Lg. (504, 508)
47	736-0504		Wave Wash. .51" I.D.		710-0871		Hex Sems Scr. #10-32 x .3" Lg. (507)
48	782-0519		Small Pivot Bar—L.H.	105	731-1386A		Mulching Baffle (Optional)

**FRONT WHEEL CHART	Bar Tread 	"T" Tread 	"S" Wave Tread 
<b>Wheels w/o Bearings</b>	734-1781 (Gray—No Hub Cap) 634-0020 (Gray—Uses Hub Cap) 734-1782 (Beige)		734-1512A (Gray)
<b>Wheels w/Plastic Brgs. (Brg. Part No. 741-0262)</b>		734-1566	
<b>Wheels with Ball Brgs.† (Brg. Part No. 741-0484)</b>		734-1268	734-1513B (Gray)

†Require Wave Washer 736-0504


# Models 733 thru 738

## Grass Catcher Complete (Optional)

Model 190-110-000

††Optional Hub Caps

Description	Part No.
Gray (5-1/2" Dia.)	731-0981A
Gray (3-1/2" Dia.)	720-0249




# Models 515, 517 and 518

## Grass Catcher Complete



Model 190-076-000

## OPTIONAL HUB CAPS

Description	Part No.
Gray (3-1/2" Dia.)	720-0249
Gray (5-1/2" Dia.)	731-0981A



## \*\*FRONT WHEEL CHART

Tread	Ass'y. Comp.
Bar 	734-1781 (Gray) 734-1782 (Beige)
S-Wave 	734-1512A (Gray)

# Models 515, 517 and 518

## PARTS LIST FOR MODELS 515, 517 AND 518 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	747-0824		Control Handle Ass'y. (Std.)	50	736-0356		Bell-Wash. .39" I.D.
	647-0004		Control Handle Ass'y. (Deluxe)	51	712-0798		Hex Nut 3/8-16 Thd.*
2	720-0226		Foam Grip (Optional)	52	710-0654A		Hex L-Wash. Hd. Scr.
3	710-0605		Oval C-Sunk Scr.				3/8-16 x 1" Lg.
4	736-0501		Spr. Wash. .66" I.D.	53	16998A		21" Deck Ass'y.
5	712-0324		Hex L-Nut 1/4-20 Thd.	54	17008		Chute Baffle
6	746-0843		Throttle Cable—55" (518C)	55	14847		Retaining Strip 14.25" Lg.
	746-0845		Throttle Cable—45" (515A)	56	731-0669		Rear Flap 17.30" Lg.
	746-0842		Throttle Wire—51" (517G)	57	731-0859		Rear Chute Deflector
7	720-0297		Handle Knob 1/4-20 Thd.	58	731-0856A		Hardtop Handle
8	749-0538C		Upper Handle	59	731-0857A		Hardtop Bag Cover
9	710-0352		Hex B-Tap Scr. 1/4 x .38" Lg.	60	749-0736A		Rear Catcher Frame
10	712-0287		Hex Nut 1/4-20 Thd.*	61	764-0411		Front Catcher Frame
11	736-0329		L-Wash. 1/4" I.D.*	62	764-0252		Grass Bag
12	710-0252		Hex Bolt 1/4-20 x .85" Lg.	63	741-0484		Bearing (2 Per Wheel)
13	710-1205		Rope Guide	64	738-0481		Shld. Bolt .5 Dia. x 2.62"
14	710-0167		Carr. Bolt 1/4-20 x .5" Lg.	65	736-0463		FI-Wash. .281" I.D.
15	720-0276		Hand Knob	68	731-1461		Chute Deflector (Optional)
16	746-0554		Control Cable—40.5" (518C)	69	782-7011		Chute Mounting Brkt. (Optional)
	746-0555		Control Cable—55" (515A and 517G)	70	712-0324		Hex L-Nut 1/4-20 Thd.
17	726-0240		Cable Tie	71	710-0286		Mach. Scr. 1/4-20 x .5" Lg.
18	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	72	736-0452		Bell-Wash. .39" I.D.
19	749-0928		Lower Handle	73	742-0621		21" Blade
20	17007		Rear Panel Baffle		742-0721		Mulching Blade (Optional)
21	17013		Baffle	74	753-0484		Blade Adapter Kit
22	735-0639		Spark Plug Boot (Optional)	75	710-1044		Hex Bolt 3/8-24 x 1.5"
23	811-00185		Throttle Box Comp. (Incl. Ref. 3, 4, 5, 24, 25)	76	15261A		Height Adj. Plate
				77	15262B		Pivot Bar
24	746-0876		Throttle Lever	78	14832		Spring Lever Ass'y. w/Knob
25	646-0875		Throttle Body	79	738-0507B		Shld. Bolt .50" Dia. x .357"
26	751B213146		Cable Clamp (518C)	80	736-0105		Bell-Wash. .38" I.D. x .88" O.D.
	7510007755		Cable Clamp (515A and 517G)	82	14578		Height Adj. Ass'y. Comp.—R.H.
27	—		Engine		14579		Height Adj. Ass'y.
28	710-1237		Hex Self-Tap Scr. #10-32 x .62" Lg. (518C)	83	**		Comp.—L.H. (Not Shown)
	710-0871		Hex Sems Scr. #10-32 x .38" Lg. (515A and 517G)	84	14764C		Front Wheel Ass'y. Comp.
				85	17488		Index Plate
30	734-1661		Wheel Ass'y. Comp.—Steel Rim		17489		Pivot Bar—R.H.
31	710-1055		Hex Bolt 3/8-24 x 1"	86	720-0190		Pivot Bar—L.H. (Not Shown)
32	736-0169		L-Wash. 3/8" I.D.	87	732-0417A		Spring Lever Knob
33	712-0241		Hex Nut 3/8-24 Thd.	88	17490		Spring Lever
34	731-0858		Seal—Extrusion		17491		Rear Height Adj. Ass'y.
35	714-0104		Int. Cotter Pin 5/16" Dia.				Comp.—R.H.
36	726-0106		Cap Speed Nut	89	738-0102		Rear Height Adj. Ass'y.
37	747-0698B		Hinge Pin 17.75" Lg.	90	736-0504		Comp.—L.H. (Not Shown)
38	750-0566		Spacer .255" I.D.				Front Axle Bolt
39	732-0577A		Torsion Spring—L.H.	92	720-0224		Wave Wash. .51" I.D. x .78"
40	711-0805		Shld. Pin 3/8-24 x 1.43" Lg.	93	736-0498		O.D. (Used w/Ball Brg.)
41	736-0169		L-Wash. 3/8" I.D.*	94	736-0286		Grass Catcher Locking Knob
42	712-0711		Hex Jam Nut 3/8-24 Thd.	95	738-0137		Internal L-Wash. 1/4" I.D.
43	732-0578A		Torsion Spring—R.H.	96	731-0564		Wave Washer 3/8" I.D.
44	12297B		Handle Brkt. Ass'y.—L.H.	99	736-0456		Shld. Bolt .342" Dia. x .268"
45	710-1017		Torx Mach. AB-Tap Scr. 1/4 x .62" Lg.	100	736-0182		Plug
46	731-0970B		Deflector Plug	101	731-1446		FI-Wash. .51" I.D. x 1.373"
47	731-0931		Corner Plug	102	782-7010		Spr. Wash. .5" I.D. x 1" O.D.
48	12296B		Handle Brkt. Ass'y.—R.H.	103	710-1006		Mulching Plug (Optional)
49	710-0896		Hex L-Wash. B-Tap Scr. 1/4 x .62" Lg.	104	710-0653		Stop Bracket (Optional)
							Hex Tap Scr. 3/8-16 x .75" Lg.
							Hex B-Tap Scr. 1/4 x .38" Lg.

\*For faster service obtain standard nuts, bolts and washers locally.  
If these items cannot be obtained locally, order by part number  
and size as shown on parts list.